

■ WARM REMINDER

You can choose our products freely. The illustrations are only for some of the company's products. The printing process may make the product pictures in the documents slightly different from the real ones. The color and style are subject to the real samples.

■ 溫馨提示

本公司產品你可自由選擇。圖示僅為公司部分產品，印刷過程可能含資料的產品圖片跟實物有細微區別，顏色與款式以實樣為準，公司保留更改產品設計與規則的權利，最終解釋權屬本公司，詳情請垂詢當地經銷商。

PdVS 匹帝維斯
新加坡pd門系統


Flexible way to open light,
solve a variety of space problems, let your space
breathe freely

靈活的開光方式，解決各種空間問題，讓你的空間自由呼吸



Foshan, China
中國·佛山

PdVS 匹帝維斯
新加坡pd門系統



SINGAPORE GENUINE PD DOOR (CHINA) INTELLIGENT
MANUFACTURING BASE

新加坡正品 Pd 門（中國）智造基地

Push and pull open the system
推拉平開系統

Company profile

公司簡介

Singapore Pidivis company is committed to the research and development of doors and Windows products in the new era, and has been at the forefront of the industry as an international indoor doors and Windows leader. Headquartered in Singapore, it has established processing plants in 15 countries around the world. In 2018, Singapore Pidivis shifted its market focus to China and established Pidivis Home Technology (Guangdong) Co., LTD. Through years of service experience in the interior door and window market, the new system cleverly combines the traditional push-pull and flat open operation mode, which is the high versatility, practicality, functionality and space saving of our unique invention of the operating PD system, which is widely used in real estate development projects all over the world. We will continue to develop and innovate to provide the market with high-quality international interior door and window products. We will launch the newly developed extremely narrow series PD door and open kitchen partition system, wardrobe series PD door, giving interior design more changes and space.

新加坡匹帝維斯公司致力於新時代門窗產品的研發，作為國際室內門窗領導者一直走在行業的前沿。總公司位於新加坡，在全球 15 個國家建立加工廠，2018 年新加坡匹帝維斯將市場重心轉移到中國，成立了匹帝維斯家居科技（廣東）有限公司。

通過多年對室內門窗市場的服務經驗，全新系統把傳統的推拉與平開操作方式巧妙地結合起來，這正是我們所獨特發明的操作 PD 系統的高通用性，實用性，功能性和節省空間，PD 系統廣泛應用於各地的房產開發項目。我們將繼續研發和創新，為市場提供優質的國際化室內門窗產品。我們將推出全新研發的極窄系列 PD 門和開放式廚房隔斷系統，衣櫃系列 PD 門，給予室內設計更多變化和空間。

- 20 years Singapore brand
- 18 kinds of original imported parts from Singapore
- 1 Singapore's only cooperation Pd door manufacturer
- 1000 engineering projects
- 150000 switches guarantee core accessories
- 1 million PD door production experience

- 20 年新加坡品牌
- 18 種新加坡原裝進口配件
- 1 家新加坡唯一合作 Pd 門生產廠家
- 1000 場工程項目
- 15 萬次開關保證核心配件
- 100 萬趟 PD 門生產經驗



Project reference 項目參考

To date our products have been installed in more than 1000 private & public projects in Singapore and regionally. Below are some example of our project references.

迄今為止，我們的產品已安裝在新加坡和地區的 1000 多個私人 and 公共項目中。下面是我們項目參考的一些例子。

Singapore

- Yingshui Court, Keppel Bay
- Citadines Sophia Hill Apartments
- Silver Peak Luxury Apartment
- Victoria Park Villa

新加坡

- 吉寶灣映水苑
- 馨樂庭索菲亞山公寓酒店
- 銀峰豪華公寓
- 維多利亞園山莊

- Bamule One
- Rabingu
- Gemei Huating upscale residential area

- 巴慕樂一號
- 羅彬居
- 格美華庭高檔住宅區

Hong Kong

- Deluxe Hotel Kowloon

India

- Bombay Rutomji element

香港

- 九龍海逸君綽酒店
- #### 印度
- 孟買當托姆吉元素

China

- Shandong Huajian Aluminum industry
- Changda Construction Group

中國

- 山東華建鋁業
- 昌大建設集團

Singapore 新加坡

Yingshui Court, Keppel Bay
吉寶灣映水苑



Citadines Sophia Hill Apartments
馨樂庭索菲亞山公寓酒店



Silver Peak Luxury Apartment
銀峰豪華公寓



Victoria Park Villa
維多利亞園山莊



Bamule One
巴慕樂一號



Rabingu
羅彬居



Gemei Huating upscale residential area
格美華庭高檔住宅區



Hong Kong 香港

Deluxe Hotel Kowloon
九龍海逸君綽酒店



Bombay Rutomji element
孟買當托姆吉元素



India 印度


China 中国

Shandong Huajian Aluminum industry
山東華建鋁業




Changda Construction Group
昌大建設集團






1. Ideally these should not be seen.

1. 理想情況下，這些不應該被看到。




2. Door frame & door intersection part should not have such finishing

2. 門框與門的相交部分不應有這種整理



3. Safety hazard issues

3. 安全隱患問題




4. The door panel obstructs part of the entrance

4. 門板擋住了入口的一部分




5. The door panel is not parked at the right angle

5. 門板停放角度不對



6. Waste of precious space

6. 浪費寶貴的空間



Open 180° 平開 180°



MODE OF OPERATION 操作方式



PRODUCT DESCRIPTION 產品說明


- **Appearance design:** very narrow 16mm, hook design, strong sense of space; Optional unilateral, bilateral door line to meet different needs.
- **Splicing method:** border, door direct Angle splicing, splicing flat, firm and durable.
- **Glass configuration:** 4-5, toughened glass or metal plate can be combined with any combination.
- **Hardware configuration:** Handle lock, patent controller, 3-page hinge, brand pulley, strong bearing, quiet smooth, wear-resistant and durable.
- **Opening mode:** two push-pull flat open, four open.
- **Safety configuration:** anti-derailment, automobile grade tempered glass.
- **Aluminum specification:** national standard aluminum thickness 1.4-2.0mm.
- **Application place:** can be used for bedroom, bathroom, study, living room and balcony partition, kitchen and living room partition, etc.
- **Recommended size :** 950*2300(2 PCS) 1800*2300(4 PCS).

- 外觀設計: 極窄16mm, 勾料設計, 空間感強; 可選單邊、雙邊門套線, 滿足不同需求。
- 拼接方式: 邊框、門扇直接角拼接, 拼接平整, 牢固耐用。
- 玻璃配置: 4厘-5厘, 鋼化玻璃或金屬板可任意組合搭配。
- 五金配置: 執手鎖, 專利控制器, 3頁合頁, 品牌滑輪, 承重強, 靜音順滑、耐磨耐用。
- 開啟方式: 兩扇推拉平開, 四扇對開。
- 安全配置: 防脫軌、汽車級鋼化玻璃。
- 鋁材規格: 國標鋁材 厚度 1.4- 2.0mm。
- 適用場所: 可用于卧室、衛生間、書房、客廳與陽臺間的隔斷、廚房與客廳的隔斷等。
- 建議尺寸: :950*2300(2 扇) 1800*2300(4 扇)。


APPLICATION SCENARIO 適用場景




PROFILE DISPLAY 型材展示




PRODUCT SIZE DATA 產品尺寸數據



- See light size: W-80 H-70
- 90° flat size :W/2+23(without frame)
- 90° flat size :W/2+70(including frame)
- 180° flat open size :W/2-16
- 見光尺寸: W- 80 H-70
- 90 度平開尺寸:W/2+23(不含框)
- 90 度平開尺寸:W/2+70(含框)
- 180 度平開尺寸:W/2-16



OPTIONAL COLOR 可選顏色



OPTIONAL HARDWARE 可選五金





MODE OF OPERATION 操作方式



PRODUCT DESCRIPTION 產品說明


- **Appearance design:** 4cm aluminum light, simple fashion; Optional unilateral, bilateral door line to meet different needs.
- **Splicing method:** border, door direct Angle splicing, splicing flat, firm and durable.
- **Glass configuration:** 4-5, toughened glass or metal plate can be combined with any combination.
- **Hardware configuration:** Handle lock, patent controller, 3-page hinge, brand pulley, strong bearing, quiet smooth, wear-resistant and durable.
- **Opening mode:** two push-pull flat open, four open.
- **Safety configuration:** anti-derailment, bidirectional magnetic absorption.
- **Aluminum specification:** national standard aluminum thickness 1.4-2.0mm.
- **Application place:** can be used for bedroom, bathroom, study, living room and balcony partition, kitchen and living room partition, etc.
- **Recommended size :** 950*2300(2 PCS) 1800*2300(4 PCS).

- 外觀設計: 4公分鋁材見光, 簡約時尚; 可選單邊、雙邊門套線, 滿足不同需求。
- 拼接方式: 邊框、門扇直接角拼接, 拼接平整, 牢固耐用。
- 玻璃配置: 4厘-5厘, 鋼化玻璃或金屬板可任意組合搭配。
- 五金配置: 執手鎖, 專利控制器, 3頁合頁; 品牌滑輪, 承重強、靜音順滑、耐磨耐用。
- 開啟方式: 兩扇推拉平開, 四扇對開。
- 安全配置: 防脫軌、雙向磁吸。
- 鋁材規格: 國標鋁材 厚度 1.4-2.0mm。
- 適用場所: 可用于臥室、衛生間、書房、客廳與陽臺間的隔斷、廚房與客廳的隔斷等。
- 建議尺寸: :950*2300(2扇) 1800*2300(4扇)。


APPLICATION SCENARIO 適用場景




PROFILE DISPLAY 型材展示




PRODUCT SIZE DATA 產品尺寸數據



- See light size: W-80 H-70
- 90 ° flat size :W/2+34(without frame)
- 90 ° flat size :W/2+81(including frame)
- 180 ° flat open size :W/2+4
- 見光尺寸 : W- 80 H-70
- 90 度平開尺寸 :W/2+34(不含框)
- 90 度平開尺寸 :W/2+81(含框)
- 180 度平開尺寸 :W/2+4



OPTIONAL COLOR 可選顏色



OPTIONAL HARDWARE 可選五金





MODE OF OPERATION 操作方式



PRODUCT DESCRIPTION 產品說明


- **Appearance design:** Medium and narrow design, low-key luxury, optional unilateral, bilateral door line, to meet different needs.
- **Splicing method:** border, door direct Angle splicing, splicing flat, firm and durable.
- **Glass configuration:** 4-5, toughened glass or metal plate can be combined with any combination.
- **Hardware configuration:** very narrow special handle, more simple fashion; Brand pulley, strong bearing, quiet smooth, wear-resistant and durable.
- **Opening mode:** three fan push pull flat open, six fan push pull open.
- **Safety configuration:** anti-derailment, coupling device, magnetic configuration.
- **Aluminum specification:** National standard aluminum thickness 1.8 -2.8mm.
- **Application place:** Can be used for study, living room and balcony partition, kitchen and living room partition.
- **Recommended size :** 2200*2400(3 fan), 4500*2400 (6 fan split).


- 外觀設計: 中窄設計, 低調奢華, 可選單邊、雙邊門套線, 滿足不同需求。
- 拼接方式: 邊框、門扇直接角拼接, 拼接平整, 牢固耐用。
- 玻璃配置: 4 厘 -5 厘, 鋼化玻璃或金屬板可任意組合搭配。
- 五金配置: 極窄專用拉手, 更簡約時尚; 品牌滑輪, 承重強、靜音順滑、耐磨耐用。
- 開啟方式: 三扇推拉平開, 六扇推拉對開。
- 安全配置: 防脫軌、連動裝置, 磁吸配置。
- 鋁材規格: 國標鋁材 厚度 1.8- 2.8mm。
- 適用場所: 可用于書房、客廳與陽臺間的隔斷、廚房與客廳的隔斷等。
- 建議尺寸: 2200*2400(3 扇), 4500*2400 (六扇對開)。


APPLICATION SCENARIO 適用場景




PROFILE DISPLAY 型材展示





	
Name: Outer frame 名稱: 外框	Wall thickness: 1.4~2.0mm 壁厚: 1.4-2.0mm

	
Name: Hinge frame 名稱: 合頁框	Wall thickness: 1.6-2.4mm 壁厚: 1.6-2.4mm

	
Name: rail 名稱: 導軌	Wall thickness: 1.8-4.0mm 壁厚: 1.8-4.0mm

PRODUCT SIZE DATA 產品尺寸數據



- See light size: W-78 H-74
- 90° flat size : W/3+49(without frame)
- 90° flat size : W/3+125(including frame)
- 180° flat open size :W/3+18
- 見光尺寸: W- 78 H-74
- 90 度平開尺寸 :W/3+49(不含框)
- 90 度平開尺寸 :W/3+125(含框)
- 180 度平開尺寸 :W/3+18

- See light size: W-78 H-74
- 90° flat size :W/3+37(without frame)
- 90° flat size :W/3+113(including frame)
- 180° flat open size :W/3+6
- 見光尺寸: W- 78 H-74
- 90 度平開尺寸 :W/3+37(不含框)
- 90 度平開尺寸 :W/3+113(含框)
- 180 度平開尺寸 :W/3+16

OPTIONAL COLOR 可選顏色



OPTIONAL HARDWARE 可選五金





MODE OF OPERATION 操作方式



PRODUCT DESCRIPTION 產品說明


- **Appearance design:** Simple fashion, low-key luxury, strong sense of space; Optional unilateral, bilateral door line to meet different needs.
- **Splicing method:** border, door direct Angle splicing, splicing flat, firm and durable.
- **Glass configuration:** 4-5, toughened glass or metal plate can be combined with any combination.
- **Hardware configuration:** Very narrow special handle, more simple fashion; Brand pulley, strong bearing, quiet smooth, wear-resistant and durable.
- **Opening mode:** two push-pull flat open, four open.
- **Safety configuration:** Derail-proof, automobile grade tempered glass.
- **Aluminum specification:** national standard aluminum thickness 1.4 -2.5mm.
- **Application place:** can be used for bedroom, bathroom, study, living room and balcony partition, kitchen and living room partition, etc.
- **Recommended size :** 1600*2400(2 PCS) 3000*2400(4 PCS).

- 外觀設計: 簡約時尚, 低調奢華, 空間感強; 可選單邊、雙邊門套線, 滿足不同需求。
- 拼接方式: 邊框、門扇直接角拼接, 拼接平整, 牢固耐用。
- 玻璃配置: 4 厘 -5 厘, 鋼化玻璃或金屬板可任意組合搭配。
- 五金配置: 極窄專用拉手, 更簡約時尚; 品牌滑輪, 承重強、靜音順滑、耐磨耐用。
- 開啟方式: 兩扇推拉平開, 四扇對開。
- 安全配置: 防脫軌、汽車級鋼化玻璃。
- 鋁材規格: 國標鋁材 厚度 1.4- 2.5mm。
- 適用場所: 可用于臥室、衛生間、書房、客廳與陽臺間的隔斷、廚房與客廳的隔斷等。
- 建議尺寸: 1600*2400(2 扇) 3000*2400(4 扇)。


APPLICATION SCENARIO 適用場景



PROFILE DISPLAY 型材展示




PRODUCT SIZE DATA 產品尺寸數據




- See light size: W-72 H-76
- 90 ° flat size :W/2+82(without frame)
- 90 ° flat size :W/2+136(including frame)
- 180 ° flat open size :W/2+49

- 見光尺寸 : W- 72 H-76
- 90 度平開尺寸 :W/2+82(不含框)
- 90 度平開尺寸 :W/2+136(含框)
- 180 度平開尺寸 :W/2+49



OPTIONAL COLOR 可選顏色



OPTIONAL HARDWARE 可選五金





MODE OF OPERATION 操作方式




PRODUCT DESCRIPTION 產品說明

- The world's first patent PD system wardrobe door.
- The only closet door design that can be pushed or opened flat in the market.
- Fully open, storage, more convenient to use.
- The product can meet various needs.
- 0 formaldehyde, flexible disassembly, simple installation.


OPTIONAL COLOR




ENVELOPE DATA DIAGRAM 包套數據示意圖



ENVELOPE DATA DIAGRAM 包套數據示意圖





PD DOOR OPENING DIRECTION DIAGRAM PD 門開啟方向示意圖











Plain white transparent glass
普白透明玻璃



Plain white frosted glass
普白磨砂玻璃



Super white transparent glass
超白透明玻璃



Extra white frosted glass
超白磨砂玻璃



Super white oil sand glass
超白油砂玻璃



Plain white long rainbow transparent glass
普白長虹透明玻璃



Plain white long rainbow frosted glass
普白長虹磨砂玻璃



Super white long rainbow transparent glass
超白長虹透明玻璃



Super white rainbow frosted glass
超白長虹磨砂玻璃



Super white Changbow oil sand glass
超白長虹油砂玻璃



Grey long iris glass
灰長虹玻璃



Brown clear glass
茶色透明玻璃



Camellia oil sand glass
歐茶油砂玻璃



Grey glass clear glass
灰玻透明玻璃



Grey glass oil sand glass
灰玻油砂玻璃



Black glass
黑色玻璃



Extra white small wick glass
超白小燈芯玻璃



Pear glass
香梨玻璃



Diamond glass
鑽石玻璃



Super white crystal glass
超白水晶玻璃



Water cube glass
水立方玻璃



Double lattice glass
雙方格玻璃



Silver pear glass
銀梨玻璃



Crabapple glass
海棠玻璃

PLATE METAL ANTI-DOUBLE SPECIAL PLATE

金屬板 / 抗倍特板

Wear resistant | Fire and moisture-proof | Antistatic and other properties

Good-looking and practical | The texture is rich and varied

具有耐磨 / 防火防潮 / 抗靜電等特性 / 紋理款式豐富多樣 / 好看又實用



Dark grey willow
深灰柳木




Linen grain
亞麻布紋



Agate white
瑪瑙白



Fine grey cloth
高級灰布紋



Palmetto palmetto
金棕櫚



Light grain
淺色木紋



Interstellar grey
星際灰



Nordica
北歐杉木



Pearl white
珍珠白



Yahei
雅黑



White smoke woven wood
白烟織木



Light grain of wood
淺原木紋



Silver grey
銀灰



Blackstone pattern
黑石紋



Cement ash
水泥灰



Red rust
紅銹石



South American oak
南美橡木




Smoked wood grain
烟熏木紋



Grey green maple core
灰綠楓芯



Maroon walnut
栗色胡桃



Currie's grey
庫里剛灰